



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/829,093

04/20/2004

Jose Guadalupe Cid-Aguilar

206,507

6009

38137 7590 07/24/2008
ABELMAN, FRAYNE & SCHWAB
666 THIRD AVENUE, 10TH FLOOR
NEW YORK, NY 10017

EXAMINER

BOLDEN, ELIZABETH A

ART UNIT

PAPER NUMBER

1793

MAIL DATE

DELIVERY MODE

07/24/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/829,093	Applicant(s) CID-AGUILAR ET AL.	
	Examiner ELIZABETH A. BOLDEN	Art Unit 1793	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 April 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 6-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 6-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Terminal Disclaimer

The terminal disclaimer filed on 8 April 2008 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 11/182,449 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Drawings

The original drawings received on 20 April 2004 are accepted by the Examiner.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Koyama et al., U.S. Patent Application Publication 2003/0114291 A1.

Koyama et al. teaches a glass composition having overlapping ranges of components and properties with instant claims 6-9. See Abstract and paragraphs [0031]-[0039], [0048]-[0050], and [0063].

Koyama et al. fails to teach any examples or ranges of components that are sufficiently specific to anticipate the instant claims. Overlapping ranges have been held to establish *prima facie* obviousness. See MPEP 2144.05.

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected from the overlapping portion of the ranges taught by the reference because overlapping ranges have been held to establish *prima facie* obviousness. See MPEP 2144.05.

One of ordinary skill in the art would expect that a glass with overlapping compositional ranges would have the property as recited in claim 6.

Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Landa et al., U.S. Patent 7,169,722.

Landa et al. teaches a glass composition having overlapping ranges of components and properties with instant claims 6-9. See Abstract, column 2, lines 44-67, column 3, lines 1-36, column 4, lines 5-36, and column 7, lines 25-58.

Landa et al. fails to teach any examples or ranges of components that are sufficiently specific to anticipate the instant claims. Overlapping ranges have been held to establish *prima facie* obviousness. See MPEP 2144.05.

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected from the overlapping portion of the ranges taught by the reference because overlapping ranges have been held to establish *prima facie* obviousness. See MPEP 2144.05.

One of ordinary skill in the art would expect that a glass with overlapping compositional ranges would have the property as recited in claim 6.

Response to Arguments

Applicant's arguments filed 8 April 2008 have been fully considered but they are not persuasive.

Applicants' argue that Koyama et al. does not claim TiO₂, however Koyama et al. does teach TiO₂ and the compositional ranges due overlap.

Applicants' argue that "The logical reason why Landa et al. issued as a patent and why applicants' glass also deserves patent protection..." is irrelevant since each patent application is evaluated on its own merits and the prosecution is not based on the prosecution history of other patent applications and issued patents.

Applicants' further argue the effects of components, cobalt and Cr₂O₃, as well as the valence state of TiO₂. This is not persuasive since there are no limitations in the claims that pertain to or restrict the presence of such components or require that TiO₂ be present in a specific valence state.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ELIZABETH A. BOLDEN whose telephone number is (571)272-1363. The examiner can normally be reached on 10 am to 6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo can be reached on 571-272-1233. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jerry A Lorengo/
Supervisory Patent Examiner, Art Unit 1793

Elizabeth A. Bolden
Examiner
Art Unit 1793

EAB
18 July 2008

Application/Control Number: 10/829,093
Art Unit: 1793

Page 5